

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINTID: sspt.acmb1647

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 AUG 10 Time limit for inactive STN sessions doubles to 40 minutes
NEWS 3 AUG 18 COMPENDEX indexing changed for the Corporate Source (CS) field
NEWS 4 AUG 24 ENCOMPPLIT/ENCOMPPLIT2 reloaded and enhanced
NEWS 5 AUG 24 CA/CAPLus enhanced with legal status information for U.S. patents
NEWS 6 SEP 09 50 Millionth Unique Chemical Substance Recorded in CAS REGISTRY
NEWS 7 SEP 11 WPIDS, WFINDEX, and WPIX now include Japanese FTERM thesaurus
NEWS 8 OCT 21 Derwent World Patents Index Coverage of Indian and Taiwanese Content Expanded
NEWS 9 OCT 21 Derwent World Patents Index enhanced with human translated claims for Chinese Applications and Utility Models

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 10:10:11 ON 21 OCT 2009

=> file medline biosis caplus embase

THE MEALING LINE COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION
0.33 0.33

FILE 'MEDLINE' ENTERED AT 10:10:47 ON 21 OCT 2009

FILE 'BIOSIS' ENTERED AT 10:10:47 ON 21 OCT 2009

Copyright (c) 2009 The Thomson Corporation

FILE 'CAPLUS' ENTERED AT 10:10:47 ON 21 OCT 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EMBASE' ENTERED AT 10:10:47 ON 21 OCT 2009
Copyright (c) 2009 Elsevier B.V. All rights reserved.

=> s (oligoasthenoteratozoospermia or OAT) and (follicle(w)stimulating(w)hormone or FSH) and (disomy or diploidy)
L1 3 (OLIGOASTHENOTERATOZOOSPERMIA OR OAT) AND (FOLLICLE(W) STIMULATING(W) HORMONE OR FSH) AND (DISOMY OR DIPLOIDY)

=> dup rem l1
PROCESSING COMPLETED FOR L1
L2 1 DUP REM L1 (2 DUPLICATES REMOVED)

=> dis ibib abs l2 1

L2	ANSWER 1 OF 1	MEDLINE on STN	DUPLICATE 1
ACCESSION NUMBER:	2008765164	MEDLINE	
DOCUMENT NUMBER:	PubMed ID: 19032689		
TITLE:	Sperm disomy in idiopathic severely oligoasthenoteratozoospermic males.		
AUTHOR:	Moemen M N; Mostafa T; Gadalla A M; Abbas M; Ismail H F; Abd El-Hamid M F; Abdel Salam M F		
CORPORATE SOURCE:	Department of Andrology & Sexology, Faculty of Medicine, Cairo University, Cairo, Egypt.		
SOURCE:	Andrologia, (2008 Dec) Vol. 40, No. 6, pp. 381-6. Journal code: 0423506. E-ISSN: 1439-0271.		
PUB. COUNTRY:	Germany: Germany, Federal Republic of		
DOCUMENT TYPE:	Journal; Article; (JOURNAL ARTICLE)		
LANGUAGE:	English		
FILE SEGMENT:	Priority Journals		
ENTRY MONTH:	200901		
ENTRY DATE:	Entered STN: 27 Nov 2008 Last Updated on STN: 23 Jan 2009 Entered Medline: 22 Jan 2009		

AB This work aimed to determine the incidence of sperm disomy in infertile men with idiopathic severe oligoasthenoteratozoospermia (OAT). Fifty male subjects were included in this study: 30 infertile men with idiopathic severe OAT and 20 healthy fertile men as controls. Semen analysis, hormonal assay (follicle-stimulating hormone, luteinising hormone and testosterone), scrotal ultrasound examination and fluorescent in situ hybridisation of their semen samples were performed to determine the disomy levels of chromosomes X and Y. There was a significant higher frequency for XX disomy and XY disomy in spermatozoa from severe OAT patients than that in controls. There was nonsignificant difference in the percentage of YY disomy between OAT cases and controls. XX, YY and XY disomy showed nonsignificant correlation with the age. Sperm concentration and sperm motility demonstrated significant negative correlation with XX and XY disomy. Sperm abnormal forms had significant negative correlation with XX and XY disomy. Nonsignificant correlation was demonstrated between YY disomy and semen parameters. XX disomy showed significant positive correlation with XY disomy and nonsignificant correlation with YY disomy. YY disomy showed nonsignificant correlation with XY disomy. It is concluded that sperm disomy in severe

OAT is increased, which should be taken into account when undergoing micromanipulation.

=> logoff
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

(FILE 'HOME' ENTERED AT 10:10:11 ON 21 OCT 2009)

FILE 'MEDLINE, BIOSIS, CAPLUS, EMBASE' ENTERED AT 10:10:47 ON 21 OCT 2009

L1 3 SEA FILE=MFE SPE=ON ABB=ON PLU=ON (OLIGOASTHENOTERATOZOOSPERMIA OR OAT) AND (FOLLICLE(W) STIMULATING(W) HORMONE OR FSH) AND (DISOMY OR DIPLOIDY)

L2 1 DUP REM L1 (2 DUPLICATES REMOVED)
DIS IBIB ABS L2 1

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	22.27	22.49

STN INTERNATIONAL LOGOFF AT 10:13:38 ON 21 OCT 2009